**AdComp Processing Technology Pvt. Ltd.**
Plot No. 350 & 351, Atmiya-2 Industrial Park,
Block No. 282, NH-48, Bamangam & Manglej,
Karjan, Vadodara – 391240, Gujarat, India


**T** +91 9730 228 057
**F** +91 950 3558 057
**I** www.rotecgrp.in

ROTEC
By AdComp Processing India

# Rotec Hand Layup Blind Flange

Drilling Standard: AS 2129 Table D






| # | DN (mm) | Pmax (bar) | D (mm) | k (mm) | Holes (no.) | d2 (mm) | T (mm) | Article Number |
|---|---|---|---|---|---|---|---|---|
| 1 | 150 | 10 | 285 | 235 | 8 | 18 | 22 | BFS-150-10/AS-D |
| 2 | 150 | 16 | 285 | 235 | 8 | 18 | 28 | BFS-150-16/AS-D |
| 3 | 200 | 10 | 350 | 292 | 8 | 18 | 25 | BFS-200-10/AS-D |
| 4 | 200 | 16 | 350 | 292 | 8 | 18 | 35 | BFS-200-16/AS-D |
| 5 | 250 | 10 | 410 | 356 | 8 | 22 | 35 | BFS-250-10/AS-D |
| 6 | 250 | 16 | 410 | 356 | 8 | 22 | 40 | BFS-250-16/AS-D |
| 7 | 300 | 10 | 460 | 406 | 12 | 22 | 40 | BFS-300-10/AS-D |
| 8 | 300 | 16 | 460 | 406 | 12 | 22 | 48 | BFS-300-16/AS-D |
| 9 | 350 | 10 | 540 | 470 | 12 | 26 | 44 | BFS-350-10/AS-D |
| 10 | 350 | 16 | 540 | 470 | 12 | 26 | 52 | BFS-350-16/AS-D |
| 11 | 400 | 10 | 600 | 521 | 12 | 26 | 48 | BFS-400-10/AS-D |
| 12 | 400 | 16 | 600 | 521 | 12 | 26 | 60 | BFS-400-16/AS-D |
| 13 | 450 | 10 | 644 | 584 | 12 | 26 | 52 | BFS-450-10/AS-D |
| 14 | 450 | 16 | 644 | 584 | 12 | 26 | 68 | BFS-450-16/AS-D |
| 15 | 500 | 3 | 720 | 641 | 16 | 26 | 35 | BFS-500-03/AS-D |
| 16 | 500 | 6 | 720 | 641 | 16 | 26 | 44 | BFS-500-06/AS-D |

**Disclaimer**
Whilst every care is taken to ensure that the information on this website is complete and accurate, AdComp Processing Technology Pvt. Ltd. India cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.
21-10-2024

**AdComp Processing Technology Pvt. Ltd.**
Plot No. 350 & 351, Atmiya-2 Industrial Park,
Block No. 282, NH-48, Bamangam & Manglej,
Karjan, Vadodara – 391240, Gujarat, India


**T** +91 9730 228 057
**F** +91 950 3558 057
**I** www.rotecgrp.in

ROTEC
By AdComp Processing India

# Rotec Hand Layup Blind Flange

Drilling Standard: AS 2129 Table D






| # | DN (mm) | Pmax (bar) | D (mm) | k (mm) | Holes (no.) | d2 (mm) | T (mm) | Article Number |
|---|---|---|---|---|---|---|---|---|
| 17 | 500 | 10 | 720 | 641 | 16 | 26 | 60 | BFS-500-10/AS-D |
| 18 | 500 | 16 | 720 | 641 | 16 | 26 | 74 | BFS-500-16/AS-D |
| 19 | 550 | 3 | 775 | 699 | 16 | 30 | 40 | BFS-550-03/AS-D |
| 20 | 550 | 6 | 775 | 699 | 16 | 30 | 52 | BFS-550-06/AS-D |
| 21 | 550 | 10 | 775 | 699 | 16 | 30 | 64 | BFS-550-10/AS-D |
| 22 | 550 | 16 | 775 | 699 | 16 | 30 | 80 | BFS-550-16/AS-D |
| 23 | 600 | 3 | 844 | 756 | 16 | 30 | 44 | BFS-600-03/AS-D |
| 24 | 600 | 6 | 844 | 756 | 16 | 30 | 52 | BFS-600-06/AS-D |
| 25 | 600 | 10 | 844 | 756 | 16 | 30 | 68 | BFS-600-10/AS-D |
| 26 | 600 | 16 | 844 | 756 | 16 | 30 | 85 | BFS-600-16/AS-D |
| 27 | 700 | 3 | 910 | 845 | 20 | 30 | 48 | BFS-700-03/AS-D |
| 28 | 700 | 6 | 910 | 845 | 20 | 30 | 60 | BFS-700-06/AS-D |
| 29 | 700 | 10 | 910 | 845 | 20 | 30 | 74 | BFS-700-10/AS-D |
| 30 | 700 | 16 | 910 | 845 | 20 | 30 | 92 | BFS-700-16/AS-D |
| 31 | 800 | 3 | 1085 | 984 | 20 | 36 | 60 | BFS-800-03/AS-D |
| 32 | 800 | 6 | 1085 | 984 | 20 | 36 | 68 | BFS-800-06/AS-D |
| 33 | 800 | 10 | 1085 | 984 | 20 | 36 | 85 | BFS-800-10/AS-D |

**Disclaimer**
Whilst every care is taken to ensure that the information on this website is complete and accurate, AdComp Processing Technology Pvt. Ltd. India cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.
21-10-2024

**AdComp Processing Technology Pvt. Ltd.**
Plot No. 350 & 351, Atmiya-2 Industrial Park,
Block No. 282, NH-48, Bamangam & Manglej,
Karjan, Vadodara – 391240, Gujarat, India


**T** +91 9730 228 057
**F** +91 950 3558 057
**I** www.rotecgrp.in

ROTEC
By AdComp Processing India

# Rotec Hand Layup Blind Flange

Drilling Standard: AS 2129 Table D






| # | DN (mm) | Pmax (bar) | D (mm) | k (mm) | Holes (no.) | d2 (mm) | T (mm) | Article Number |
|---|---|---|---|---|---|---|---|---|
| 34 | 800 | 16 | 1085 | 984 | 20 | 36 | 105 | BFS-800-16/AS-D |
| 35 | 900 | 3 | 1190 | 1092 | 24 | 36 | 60 | BFS-900-03/AS-D |
| 36 | 900 | 6 | 1190 | 1092 | 24 | 36 | 78 | BFS-900-06/AS-D |
| 37 | 900 | 10 | 1190 | 1092 | 24 | 36 | 95 | BFS-900-10/AS-D |
| 38 | 900 | 16 | 1190 | 1092 | 24 | 36 | 115 | BFS-900-16/AS-D |
| 39 | 1000 | 3 | 1265 | 1175 | 24 | 36 | 68 | BFS-1000-03/AS-D |
| 40 | 1000 | 6 | 1265 | 1175 | 24 | 36 | 85 | BFS-1000-06/AS-D |
| 41 | 1000 | 10 | 1265 | 1175 | 24 | 36 | 105 | BFS-1000-10/AS-D |
| 42 | 1000 | 16 | 1265 | 1175 | 24 | 36 | 130 | BFS-1000-16/AS-D |
| 43 | 1200 | 3 | 1540 | 1410 | 32 | 36 | 80 | BFS-1200-03/AS-D |
| 44 | 1200 | 6 | 1540 | 1410 | 32 | 36 | 105 | BFS-1200-06/AS-D |
| 45 | 1200 | 10 | 1540 | 1410 | 32 | 36 | 120 | BFS-1200-10/AS-D |
| 46 | 1200 | 16 | 1540 | 1410 | 32 | 36 | 155 | BFS-1200-16/AS-D |
| 47 | 1400 | 3 | 1700 | 1615 | 36 | 36 | 95 | BFS-1400-03/AS-D |
| 48 | 1400 | 6 | 1700 | 1615 | 36 | 36 | 120 | BFS-1400-06/AS-D |
| 49 | 1400 | 10 | 1700 | 1615 | 36 | 36 | 140 | BFS-1400-10/AS-D |
| 50 | 1400 | 16 | 1700 | 1615 | 36 | 36 | 175 | BFS-1400-16/AS-D |

**Disclaimer**
Whilst every care is taken to ensure that the information on this website is complete and accurate, AdComp Processing Technology Pvt. Ltd. India cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.
21-10-2024

**AdComp Processing Technology Pvt. Ltd.**
Plot No. 350 & 351, Atmiya-2 Industrial Park,
Block No. 282, NH-48, Bamangam & Manglej,
Karjan, Vadodara – 391240, Gujarat, India


**T** +91 9730 228 057
**F** +91 950 3558 057
**I** www.rotecgrp.in

ROTEC
By AdComp Processing India

# Rotec Hand Layup Blind Flange

Drilling Standard: AS 2129 Table D






| # | DN (mm) | Pmax (bar) | D (mm) | k (mm) | Holes (no.) | d2 (mm) | T (mm) | Article Number |
|---|---|---|---|---|---|---|---|---|
| 51 | 1600 | 3 | 1950 | 1825 | 40 | 39 | 100 | BFS-1600-03/AS-D |
| 52 | 1600 | 6 | 1950 | 1825 | 40 | 39 | 130 | BFS-1600-06/AS-D |
| 53 | 1600 | 10 | 1950 | 1825 | 40 | 39 | 155 | BFS-1600-10/AS-D |
| 54 | 1600 | 16 | 1950 | 1825 | 40 | 39 | 200 | BFS-1600-16/AS-D |
| 55 | 1800 | 3 | 2150 | 2019 | 44 | 42 | 120 | BFS-1800-03/AS-D |
| 56 | 1800 | 6 | 2150 | 2019 | 44 | 42 | 145 | BFS-1800-06/AS-D |
| 57 | 1800 | 10 | 2150 | 2019 | 44 | 42 | 175 | BFS-1800-10/AS-D |
| 58 | 1800 | 16 | 2150 | 2019 | 44 | 42 | 225 | BFS-1800-16/AS-D |
| 59 | 2000 | 3 | 2360 | 2250 | 44 | 42 | 125 | BFS-2000-03/AS-D |
| 60 | 2000 | 6 | 2360 | 2250 | 44 | 42 | 160 | BFS-2000-06/AS-D |
| 61 | 2000 | 10 | 2360 | 2250 | 44 | 42 | 195 | BFS-2000-10/AS-D |
| 62 | 2200 | 3 | 2580 | 2460 | 44 | 48 | 135 | BFS-2200-03/AS-D |
| 63 | 2200 | 6 | 2580 | 2460 | 44 | 48 | 175 | BFS-2200-06/AS-D |
| 64 | 2200 | 10 | 2580 | 2460 | 44 | 48 | 210 | BFS-2200-10/AS-D |
| 65 | 2400 | 3 | 2810 | 2673 | 52 | 48 | 155 | BFS-2400-03/AS-D |
| 66 | 2400 | 6 | 2810 | 2673 | 52 | 48 | 200 | BFS-2400-06/AS-D |
| 67 | 2400 | 10 | 2810 | 2673 | 52 | 48 | 240 | BFS-2400-10/AS-D |

**Disclaimer**
Whilst every care is taken to ensure that the information on this website is complete and accurate, AdComp Processing Technology Pvt. Ltd. India cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.
21-10-2024